

Scotland's Rural College

Options for enhancing efficiency and effectiveness of research capacity for livestock genetics in, and for, sub-Saharan Africa

Chagunda, MGG; Gibson, JP; Dzama, K; Rege, JEO

Published in:
Animal Genetic Resources

DOI:
[10.1017/S2078633615000053](https://doi.org/10.1017/S2078633615000053)

First published: 01/01/2015

Document Version
Peer reviewed version

[Link to publication](#)

Citation for published version (APA):

Chagunda, MGG., Gibson, JP., Dzama, K., & Rege, JEO. (2015). Options for enhancing efficiency and effectiveness of research capacity for livestock genetics in, and for, sub-Saharan Africa. *Animal Genetic Resources*, 56, 145 - 153. <https://doi.org/10.1017/S2078633615000053>

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

1 **Summary**

2 Animal breeding for increased productivity over the past 50 and 60 years has been very
3 successful in terms of increasing growth rate, milk yield and egg production in most livestock
4 producing regions of the world (Rauw *et al.*, 1998). However, this success has not registered
5 that well in most countries in Sub-Saharan Africa (SSA). Ironically, just like most
6 developing regions, SSA is faced with the challenge to rapidly increase agricultural
7 productivity to help feed their growing human populations without depleting the natural
8 resource base (Rege, 2005). Genetic improvement of livestock depends on access to genetic
9 variation and effective methods for exploiting this variation (Rege, 2005). This is where
10 human capacity and infrastructure for decision-support systems in animal breeding are
11 required. This paper provides a synthesis of views from a cross-section of livestock
12 production experts working in SSA. These views were collated through an e-conference
13 which was held from 8th March to 20th April 2011. The e-conference discussed future
14 research and development (R&D) needs for animal breeding and genetics in Sub-Saharan
15 Africa and how they can be met. The e-conference attracted 43 participants from 17
16 countries. Results from the e-conference demonstrated that the R&D institutions and
17 infrastructure in Sub-Saharan Africa vary widely in terms of both the physical and human
18 capacity. Equally varied is the level of utilisation of these institutions. In terms of training in
19 Animal Breeding and Genetics, although most universities/colleges have programmes in
20 Animal Science and teach animal breeding and genetics, there are very few practicing animal
21 breeders. Lack of mentorship programmes and collaboration, and in some cases lack of
22 appropriate jobs continue to contribute to this 'leaking pipeline' phenomenon. The following
23 is a summary of the consensus stemming from the conference on how the efficiency and
24 effectiveness of livestock genetic improvement in Sub-Saharan Africa could be enhanced.
25 Firstly, the need to augment the approach that promotes animal breeding and genetics as part

1 of a wider agriculture and rural development system, secondly, collaboration both within
2 Africa and with those in the Diaspora should be further tapped into and utilised as a source of
3 capacity for R&D and thirdly, initiative of sharing resources and research platforms such as
4 pooling data for genetic analysis from across institution, and even across countries, should be
5 encouraged in case where this is advantageous to do so.

6

7 Keywords: Institutional framework, capacity development, Sub-Saharan Africa

8

9 **Introduction**

10 Livestock are an important asset in Sub-Saharan Africa (SSA) and have been shown to
11 contribute significantly to rural development through the provision of food, cash, manure and
12 general livelihoods in the rural and peri-urban households (Agyemang 2005; Zabet *et al.*
13 2011). Despite the rapid growth, the livestock sector in SSA is faced with several challenges
14 and hence livestock's contribution to sustainable livelihoods is neither optimal nor sustained
15 in most parts. These include limited breeding stock, low productivity, poor management and
16 inadequate access to extension, health and other support services (Goyder and Mang'anya
17 2009). These challenges have negative impacts on productivity and genetic improvement
18 initiatives (Rege, 2005). With respect to genetic improvement initiatives, some of the reasons
19 for their sub-optimal contribution are: low capacity (human and infrastructural) for livestock
20 genetics; high cost of livestock genetics and breeding research and development (R&D)
21 infrastructure; limited and disjointed R&D efforts within countries; limited effort to share the
22 available capacity between countries; and inappropriate imported genetic technologies
23 (genotypes and genetic improvement technologies and methods) which have often failed to
24 deliver the expected results. However, there are some technologies developed elsewhere (in
25 either the North or South) which offer opportunities for Africa. These may need to be tested

1 in, and adapted for, local contexts. Further rapid developments in genetics and genomics
2 offer opportunities which remain relatively unharnessed in, and for, Africa's development.
3
4 Sustainable options that would enhance the efficiency and effectiveness of future research
5 needs for livestock genetics is urgently required. These are the kind of options that would
6 interface with overall livestock and agriculture development in sub-Saharan Africa. Robust
7 strategies would enhance the efficiency and effectiveness for delivering the R&D that would
8 address high priority constraints for sub-Saharan Africa. However, generating such strategies
9 requires the involvement of a wide range of players. Establishing avenues of consultation,
10 engagement and support from local and international research and development community is
11 a vital part of this process. From 8th March to 20th April 2011, an e-conference aimed at
12 collating views that would inform the development of such strategies was conducted. The
13 current paper provides a synthesis of the e-conference, analyses the situation and outlines the
14 drivers that were identified to have the potential to enhance the efficiency and effectiveness
15 of livestock genetics research for development in, and for, sub-Saharan Africa.

16

17 Methodology

18 Prior to the e-conference, announcements were sent through animal genetics associated
19 discussion groups such as Domestic Animal Diversity Network (DAD-Net), Animal
20 Geneticists Discussion Group (AnGenMap) and animalgenetics listserv. Prospective
21 participants were requested to circulate the announcement to anyone in their network and as
22 widely as was possible. Animal Scientists, Agricultural Economists, Agronomists and experts
23 in Agricultural Research not only from Africa but also from other countries around the globe
24 participated in the e-conference. The forty-three experts that participated in the e-conference
25 were from Bangladesh, Cameroon, Canada, Egypt, Ethiopia, Ghana, Italy, Kenya, Malawi,

1 Nigeria, South Africa, Spain, Sudan, Sweden, Tanzania, UK, and Zimbabwe. The e-
2 conference was hosted by the animalgenetics listserv (animalgenetics@sympa.sun.ac.za)
3 based at Stellenbosch University in South Africa. In the e-conference, a framework was
4 defined as ‘a basic structure underlying a system’ and could take a variety of forms. The
5 scope and definition of the framework were introduced at the beginning of the e-conference.
6 Following were the envisioned aims of the framework for the discussion: a) to provide a
7 mechanism for leveraging available individual expertise and institutional capacities on the
8 continent; b) to create functioning and effective mechanisms for harnessing available
9 collaborative opportunities within Africa and between Africa and the international R&D
10 community, including Africa’s Diaspora; c) to highlight on-going development of technical
11 and human capacity in genetics and breeding on the continent to provide the required critical
12 mass; d) to generate technologies that can be applied at scale in multiple countries (i.e.
13 international public goods) to address high priority constraints; e) increasing efficiency and
14 return to R&D investments; and f) to catalyse the evolution of sustainable R&D platform(s)
15 on the continent. During the e-conference, a moderator introduced the theme based on each
16 aim for discussion, together with some guiding questions for the participants as shown in
17 Table 1. The moderator neither censored nor limited the level of debate and discussion.
18 Rather, the moderator asked questions that would bring up either more information or
19 different perspectives. At the end of each theme, the moderator produced a summary that
20 was shared back to all participants and all on the networks by email, to allow corrections,
21 additions and even more in-depth discussion. Towards the end of the e-conference, a request
22 for information that would enable the start of the process for developing a database of experts
23 in animal breeding and genetics in Africa was made. The information requested was: name
24 (including title), institutional affiliation, physical and postal address, telephone contacts,
25 email address and, areas of training, expertise and current work focus.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25

Table 1, near here

Current status

Institutional capacity

Participants highlighted that infrastructure in animal breeding and genetics comprises hard and soft infrastructure. Hard infrastructure is the physical and organizational structures needed for the delivery of technological innovations and R&D in animal breeding and genetics. Soft infrastructure is made up of all the operational and quality assurance capacity that promote and facilitate the implementation of the technological know-how generated from the R&D. In the e-conference there was a general consensus that some premier and other potentially premier institutions for animal genetics and breeding R&D exist on the continent. However, these institutions are very varied in terms of both the physical and human capacity. Equally varied is the level of utilisation of these institutions. Specific examples that were given were from countries like Zimbabwe, South Africa, Malawi, Kenya and Nigeria. The majority of these are public institutions in the form of universities and research centres. Very few of these have long-term experiments and research programmes running. Where some long-term experiments and research programmes are running, they do not seem to be well supported and their value not well appreciated.

Although difficult to maintain and at times to economically justify, long-term experiments and research programmes have valuable scientific resources providing data and continuity. The following are some examples of long-term experiments spanning over a decade and research programs that are still running albeit not at full capacity. In Zimbabwe, Matopos Research Station runs a beef crossbreeding experiment and is also home to the only known

1 flock of indigenous Sabi sheep; Makhoholi Research Station maintains a Mashona beef herd;
2 while the Grassland Research Station keeps a Tuli cattle herd. In Malawi, Mbawa Research
3 station has a pure Malawi Zebu breed which is used in a crossbreeding programme with the
4 Brahman breed. These centres have the potential of hosting and maintaining nucleus herds of
5 farm animal genetic resources (FAnGR) in an either open or closed nucleus breeding system.
6 Long-term experiments also have the potential to provide unique data sets that may provide a
7 huge resource for ongoing analysis and also provide a case of best practice. However, the
8 value of long-term datasets can only be noticed when such data are utilised. One issue that
9 was raised in the e-conference is that most of the institutions are not effectively utilised.

10

11 Most countries in Sub-Saharan Africa have artificial insemination (AI) centres. Most of these
12 produce and distribute semen to farmers. However, AI centres are mostly considered as
13 semen and support service providers to the genetic improvement sector. The e-conference
14 participants noted that functioning AI and livestock breeding programmes exist where there
15 was a market oriented (commercial) livestock sector. An example is South Africa where
16 there are functioning and well developed breeding programmes and support infrastructure
17 such as stud breeders and breeders association for many species, national performance
18 recording and genetic evaluation.

19

20 *Human resources*

21 Databases of animal breeding and geneticists exist at different levels of detail. For example
22 there is a relatively comprehensive database in South Africa where there are about 45 Animal
23 Breeders and Geneticists. Lack of proper databases and lists of animal breeders could mainly
24 be attributed to the fact that in some countries there are very few animal breeders and hence
25 co-workers know each other. Currently, most animal breeders and geneticists work for

1 universities and research institutions (Table 2). Although there are animal breeders and
2 geneticists in the different countries, it was noted that there are very few animal breeding
3 organizations (implementers of genetic improvements) on the continent. The absence of
4 animal breeding organizations may be one reason why in most countries the advantages of
5 using new improvements and technologies are neither appreciated nor utilised under field
6 conditions. This may also be the reason as to where there are only a few organised breeding
7 programmes on the continent.

8

9 **Table 2, near here**

10

11 **On-going human and technical capacity development**

12 In terms of training in Animal Breeding and Genetics, most universities/colleges in SSA had
13 programmes in Animal Science, and teach Animal Breeding and Genetics. Training is
14 mostly at first degree level. Post-graduate training opportunities in animal breeding and
15 genetics in Africa are very limited. Only a few universities have post graduate programs, and
16 these universities have less than optimum capacity in terms of expertise and facilities, to
17 deliver high quality MSc or PhD training. Regional programmes have been initiated in the
18 past. An example is the MSc in Animal Science programme that was hosted by Bunda
19 College in Malawi on behalf of the Southern Africa Centre for Coordination of Agricultural
20 Research (SACCAR) and financially supported by GTZ from 1990 to 2000 (Wollny *et al*,
21 2002). Through that programme, which now continues as a local programme, animal
22 scientists including animal geneticists mainly from the Southern Africa Development
23 Community (SADC) region received tuition from Bunda College and were allowed to travel
24 back to their home countries to conduct research. Another successful programme was the
25 training of trainers project that was launched in 1999 by the International Livestock Research

1 Institute (ILRI) in collaboration with the Swedish University of Agricultural Sciences and
2 supported by the Swedish International Development Cooperation Agency (Sida). This
3 project was based on an approach that targeted university lectures and researchers who were
4 actively involved in teaching and supervising research in animal breeding and genetics
5 (Ojango *et al.*, 2011).

6
7 Even with these within country and regional training and educational programmes, there is a
8 general deficit in the numbers of animal geneticists on the continent. Two problems exist in
9 this respect. One is the lack of strategies to maintain and retain the trained personnel and the
10 other is the failure to attract the numbers from young scientists to join the field. Quite a good
11 number of animal geneticists are now gainfully employed either in other countries or in other
12 organizations that do not deal in animal breeding and genetics. There is outward migration of
13 personnel to other fields such as relief and development NGOs. Different reasons were given
14 in the e-conference for this situation. Some of these are: low remuneration, limited career
15 development prospects, and lack of appreciation for work output. Further, there is a general
16 decline in the numbers of students in animal breeding and genetics. The discipline seems not
17 to attract high numbers of new students who would be the next generation of movers and
18 shakers. Ironically, the quantitative and numerate skills that animal geneticists possess are
19 highly appreciated when moved into other fields.

20
21 There is need to innovative regional graduate programs that harness collective capacities of
22 multiple universities (Gibson *et al.*, 2014). Such an initiative could be linked to advanced
23 research institutes/universities in the developed world. One fundamental difference between
24 successful livestock genetic professionals (researchers, industry, and extension) in the
25 developed world versus those in Africa is that after receiving their MSc or PhD, the former

1 generally receive strong mentoring and continuous ‘learning-through-doing’, while there is
2 limited or no opportunity to gain deep experience and high-level mentoring for most African
3 graduates of livestock genetics training. This is an area that needs some attention if the sector
4 is to retain its human resources.

5

6 *Breeding programmes*

7 In most African countries R&D related to animal breeding is under the control and support of
8 government institutions. These institutions were established with the aim of providing
9 improved stock and technologies to the farmers. The majority of these institutions were
10 established with either little or no participation of the end users (farmers). As a result, most
11 of the organizations seem not to directly address the needs of the smallholder farming
12 community. Therefore, their contribution to the nations as well as to the farming community
13 is very low relative to the cost incurred in either establishing or running these institutions. In
14 addition to the government institutions, in some countries there are private breeding
15 companies and NGOs that are selling germplasm (semen and embryo) and live animals
16 imported from the Europe, America and to a limited extent from South Africa. This is mainly
17 for dairy cattle and poultry.

18

19 Apart from a few commercially orientated operations in a handful of countries, in the rest of
20 Africa there are no strong breeding institutions. As the result of this weakness, farmers are
21 dependent on imported animals for the replacement stock. However, several studies on
22 genotype by environmental (GxE) interaction have shown the strong negative effect of the
23 indiscriminate importation of germplasm (e.g. Chagunda *et al.*, 2004; Friggens and Newbold,
24 2007). In very few countries there is targeted livestock genetics research meant for the local
25 environment (Rege, 2005). One of the consequences of the disjointed R&D activities is the

1 lack of coherent breeding policies. This has resulted in a mismatch of genotypes with
2 production systems. Private sector, farmer organizations and the emerging commercial
3 farmers are mostly disconnected to the research programmes. Most R&D initiatives seem to
4 be developed with little attention paid to the production environment. The issue of
5 identifying and matching the animal genetics and breeding R&D to the existing and
6 appropriate farming systems was emphasised during the e-conference. This was identified to
7 have been a major problem in small-scale and communal farming systems. The paradox is
8 that in most African countries, the dominant type of livestock farming is either small scale or
9 subsistence, where animals are managed under communal farming system with no control
10 mating. In most cases, there is no controlled breeding in this sector. However, where
11 planned breeding takes place, the breeding stock predominantly come from research station
12 based breeding programs and Government run multiplication centres. There is strong need
13 for studies to determine not only the optimal breeds and genotypes for different production
14 systems but also the methodologies and tools for determining these optimal combinations.
15 Further, there was recognition in the e-conference that the subsistence farmer keeps his/her
16 livestock for multiple purpose use– food, power, cash, etc. The animal numbers per farm in
17 this sector are small, sometimes mixed species. The vital questions are: how to define
18 breeding objectives that would be appropriate for the multi-functional production systems,
19 and how to implement such an improvement program? Answering these questions would
20 help inform the debate on making animal breeding and genetics relevant and appropriate to
21 the existing and future production systems. This is where robust and clear breeding policies
22 are needed. As indicated by Zonabend *et al.* (2013), a livestock breeding policy is an
23 important tool to show the direction of priorities and activities to be conducted in livestock
24 breeding. For such breeding policies to have sustainable contribution to rural livelihoods,
25 they would need to be informed by a broader livestock development policy. Together with

1 R&D organizations, breeding organisations and performance recording organizations there is
2 need to take the new developments forward to the users and feedback to the R&D
3 organizations. The existence of institutional herds at research and multiplication centres
4 would act as nucleus herds for spreading genetically improved germplasm across commercial
5 herds. However, if the appropriate infrastructure for the gene flow is not available the
6 advantages of using the new improvements and technologies cannot be proved at farm level.

7

8 *Low profile*

9 Participants in the e-conference expressed concerns over the low profile of animal breeding
10 and genetics in the different SSA countries. Despite the fact that this is one of the few
11 disciplines that brings about permanent change and improvement in livestock it is very often
12 considered as a technology that may not respond to urgent needs especially to the policy
13 makers. This picture, however, may reflect more the fact that it takes a considerable number
14 of years to reap the benefits of genetic improvement and yet there might be other more urgent
15 system constraints that may need to be addressed. This may apply even more to smallholder
16 and subsistence livestock production systems than to large multinational companies that are
17 now increasing their presence mainly in the poultry sector. Their investment in animal
18 genetics is growing faster than in animal nutrition and animal health (KPGM, 2013). It was
19 noted that the production sector and society do not appreciate research as a part of their
20 activity and hence researchers are not rewarded with reasonable remuneration. However, it
21 was also noted that animal scientists and more specifically animal geneticists have not
22 themselves demonstrated the value of animal breeding to society. In summary, it was pointed
23 out that, animal breeding and genetics should not only be done but should be seen to be done.
24 Another issue may be that the many failed animal breeding programs in Africa have reduced
25 confidence. There is need to investigate and implement strategies that may help to avoid

1 these failures in the future. An example is by better targeting in terms of where and when to
2 apply breeding interventions.

3

4 Some possible ways to raise the profile of animal breeding and genetics are:

- 5 • Animal Breeding and Genetics courses in different universities and colleges should be
6 made more attractive while maintaining its relevance and robustness
- 7 • Teaching and research facilities and equipment should be established in order to make
8 the course more practical than theoretical which is often the case when practical
9 facilities are lacking
- 10 • The importance of within-country collaboration is that it would enable students do
11 practical work or placement in research institutions. This could be extended to formal
12 scientific exchange programme between institutions.
- 13 • The need for clear information on career path and expected returns from the career are
14 crucial in creating not only a clear demand for and place of animal breeding on the
15 market but also helping to develop the area.
- 16 • Use already existing resources and forums such as, All Africa Conference of Animal
17 Agriculture (AACAA), World Congress (WCGALP), pedigree of animal breeders.
18 These resources should be utilised more to increase the profile and visibility of the
19 activities that animal breeders undertake in Africa

20

21 *Sociological and ecological differences*

22 The need to recognise regional social, economic and environmental differences and
23 similarities was highlighted and acknowledged during the e-conference. This line of
24 discussion extended to sociological and ecological differences among countries. This means
25 that it might be more efficient to promote regional collaboration. However, caution should be

1 taken not to breakdown the regions too much, resulting ensin hindering any benefits that
2 could be accrued from collective effort. Similarities and common platforms are worth
3 exploiting because the similarities may outweigh differences. Gibson *et al.* (2014) pointed
4 out that cross-institution collaboration, within and between countries in livestock genetics is
5 extremely limited. Ironically, sub-Saharan Africa has a continent-wide level of cohesion and
6 shared vision. This is facilitated by among other things, use of a limited number of shared
7 languages. A number of well functioning pan-African institutions and mechanisms for
8 collaboration have arisen in recent decades. This indicates that there are good opportunities
9 to establish regional or pan-African institutions and collaborations to promote more effective
10 training and delivery in livestock genetic improvement (Gibson *et al.*, 2014). Strong national
11 human capacity begets strong regional human capacity. Animal Geneticists need to work
12 together to improve each others weaknesses and build each others strengths. Mentoring of
13 young scientists should be done at both national and regional levels.

14

15 **Harnessing available collaborative opportunities**

16 Collaboration both within Africa and with those in the Diaspora remains an untapped
17 potential source of capacity. There are some initiatives that require regional collaboration in
18 order to achieve sustained impact. Some useful observations in this regard were made by
19 Wollny *et al.* (2002). Even with some within-country initiatives, there is need to break-down
20 the traditional subject boundaries among research, extension and training. In most of the
21 countries, NGOs have contributed substantially to changing the gene pool through the
22 importation of different genotypes especially in dairy cattle, pigs and goats. Animal
23 geneticists need to integrate their activities with those of the NGOs thorough taking the work
24 forward and adding the genetic improvement dimension to rural development work. This can
25 be, for example, through setting up systematic animal performance recording; conducting

1 genetic evaluation, and sire selection; and carrying out breed comparison research that would
2 inform the decisions on the genotypes that would be appropriate for different production
3 systems, all of which are lacking in most countries in sub-Saharan Africa. . To compliment
4 this kind of initiative, there is need for a robust and functioning extension service. This
5 would bring out the comparative advantage of an innovation such as genetic improvement
6 (Agwu *et al*, 2008).

7

8 Since quantitative genetic analyses rely on availability of high volumes of routinely collected
9 data, initiatives such as pooling data from either across institutions or across countries and
10 analysing such data with appropriate statistical models that account for regional and country
11 differences, would not only provide some fundamental information but also work as a
12 training ground for students and young scientists. This would be even more useful for
13 training if different methodologies and procedures would be used to harmonise data and
14 account for different data collection protocols. Not every country would have the human
15 resources with such skills. Skill sharing and knowledge exchange would help Africa best use
16 the scarce human and institutional capacity it has in the area of animal genetics and breeding.
17 Some models of collaboration exist between African institutions and other parts of the world.
18 Most of these could be explored further for longer term benefits on institutional capacity.
19 This is because most of the collaboration efforts that go a long way start as researcher-to-
20 researcher initiatives. Although this is the case, other formidable collaboration initiatives
21 have been those that have been initiated through bilateral agreements. Clearly articulating the
22 research and development needs helps to identify relevant projects and work-areas. Forming
23 project consortia and responding to specific research calls has been another very successful
24 strategy for collaboration. Involving both Africa-based scientists and those in the Diaspora
25 has a synergistic effect to the collaboration effort. Simpler networks and approaches that are

1 affordable in Africa must also be encouraged and funded, for example, strengthening the
2 African Animal Production Association, initiating e-forums and discussion groups. Formal
3 scientific exchange programs for researchers between institutes should be considered as a
4 catalyst for further long-term collaboration. Sub-Saharan Africa is in a unique position for
5 potential joint and regional postgraduate training programmes. As was noted by Gibson et al.
6 (2014), there are vast regions that share language, cultural and political diversity. Utilising
7 African scientists that are in the Diaspora can take several forms that need institutional
8 involvement. Initiatives like joint supervision of graduate students, joint projects, and joint
9 short to medium-term appointments would promote knowledge exchange and skills-sharing.

10

11 **Generating technologies and increasing efficiency**

12 Research in animal breeding should be attractive to the private sector and funding community
13 in order to attract investment and innovation. It should also give political mileage to
14 Governments so that they can justify spending scarce financial resources in supporting the
15 research. There is need to recast animal breeding and genetics as part of a bigger dynamic
16 innovation system in agriculture and rural development. An innovation systems' approach
17 should be taken in order to reshape the pathway through which animal breeding and genetics
18 can contribute to poverty alleviation in Africa. Innovation system approach offers a holistic
19 and multi-disciplinary approach to innovation and processes, incorporating emerging reforms
20 and approaches for agricultural development (Agwu, *et al.*, 2008). Following are some
21 considerations that should be encompassed in livestock innovation systems:

22

- 23 • Animal breeding and genetics must focus on innovations not merely research or
24 science & technology. Innovation is defined as 'the application of knowledge to
25 achieve social and economic outcomes'

- 1 • Animal breeding and genetics must develop working styles and practices, both as
2 individuals and as organizations and the incentives, support structures and policy
3 environments that encourage innovation.
- 4 • Breeders and geneticists in Africa must be responsive to stakeholder demands and
5 agendas, not their own religiously guarded pet projects or academic interests. In other
6 words, think beyond the ‘lab’ or ‘experimental field’ to find out what clients really
7 need out there.
- 8 • Breeders and geneticists in Africa need to be dynamic – new challenges require new
9 partners and new ways of working. Institutional learning is central to this process and
10 will ensure successes and failures of the past are used to inspire future solutions. If
11 you can’t change you will soon become irrelevant.

12

13 Institutions like African Union Information Bureau for Animal Resources (AU-IBAR) and
14 ILRI should continue to take the lead and create opportunities to motivate scientists on the
15 continent to come up with solutions to the numerous challenges of Animal Genetics. They
16 need to continue to support capacity building and also to bring a fair balance of projects on
17 Animal Genetic Resources across the continent.

18

19 **Catalysing the evolution of sustainable R&D platforms**

20 Essential to any breeding programme is the accurate and appropriate estimation of genetic
21 parameters and the consequent formulation of breeding goals. Currently, there are no such
22 breeding programmes at both national and regional level in most of Sub-Saharan Africa
23 (Rege *et al.*, 2011). Mostly, this is due to lack of infrastructure and functioning animal
24 recording systems. The inevitable consequence of the lack of coherent and well-grounded

1 breeding strategies is the use of inappropriate genotypes and germplasm. There is need to
2 take a concerted effort and have a relook in order to incorporate different and novel
3 approaches that may not only improve productivity but also promote the implementation of
4 livestock genetic improvement in Sub-Saharan Africa. Some of the questions that would
5 guide this evolution are: are there any easy-to measure phenotypes that would be used as
6 indicator and proxy traits, are there any new and readily available easy-to-use technologies
7 that would help in gathering the required phenotypes, is it possible for several institutions to
8 initiate a joint animal recording system, and would it add value to any potential breeding
9 scheme to pool together any existing phenotypic data from across institutions and countries
10 and analyse such data with appropriate statistical models that will account for regional and
11 country differences? Affirmative responses to these questions would create the needed
12 platform that would provide the footing for fundamental information in terms of genetic
13 parameters, breeding values and the basis for the formulation of national and regional
14 breeding programmes. An alternative breeding program could be one changing the genetic
15 merit of the population by increasing the proportion of animals that are of the most
16 appropriate breed-type, be it either pure-bred or cross-bred for any given production system.
17 Although institutional herds and flocks have a role to play in generating new knowledge, they
18 tend not to be managed in a similar manner as local farmers' herd and flocks. Where this is
19 the case, the differential management strategies may lead to significant G x E resulting in re-
20 ranking of sires. However, institutional herds and flocks, as well as on-farm livestock
21 populations are valuable resources. For example, in some smallholder farms, with small
22 numbers of animals per farm, the lack of contemporary groups becomes important, and hence
23 institutional herds and flocks may be more appropriate. An alternative would be on-farm
24 livestock populations managed in a scientist-farmer partnership. This would provide a

1 valuable resource in an open nucleus breeding scheme. Collaborative efforts would provide
2 the technical expertise needed for such initiatives and analyses.

3

4 **Conclusion**

5 This paper provides a synthesis of an international e-conference on one of the fundamental
6 issues in livestock development in Sub-Saharan Africa. Participants expressed gratitude at
7 the usefulness of the exercise that brought out a lot of issues and constructive suggestions that
8 would inform the development of a framework for enhancing the efficiency and effectiveness
9 for delivering livestock genetics R&D. General consensus was towards developing
10 fundamental soft infrastructure and capacity that would form the basis of vital R&D with
11 minimal bureaucratic constraints.

12

13 Capacity should be developed around systems for organizing, collecting and utilizing
14 livestock performance data. Improved communication and coordination of efforts within and
15 across countries should be in the centre for these developments. The conference highlighted
16 that animal breeders and geneticists within Sub-Saharan Africa should be the ones to ‘kick-
17 start’ the process and raise the profile of the profession. This is because they are the ones that
18 have the political contacts and local knowledge to obtain the buy-in on different R&D
19 initiatives from the key people within Governments and the farming community. Colleagues
20 in the Diaspora should be involved on initiatives in transferable-skills and help to identify
21 new project opportunities.

22

23 **Acknowledgements**

24 Thanks to all the participants in the e-discussion. Many thanks to the organisers and hosts,
25 animalgenetics forum, for the space and time that they dedicated to this e-discussion. We

1 really appreciate the contribution and comments from the Journal Reviewers. Thanks to
2 Nicola Boyes for her assistance during the preparation of the manuscript.

3

4 **Statement of interest**

5 There is no conflict of interest.

6

7 **References**

- 8 Agyemang K. 2005. Trypanotolerant cattle in the context of trypanosomosis intervention
9 strategies. PAAT technical and Scientific Series 7. Rome: FAO. (67 p).
- 10 Agwu, A. E., Dimelu, M. U. and Madukwe, M. C., 2008. Innovation system approach to
11 agricultural development: Policy implications for agricultural extension delivery in
12 Nigeria. African Journal of Biotechnology 7: 1604-1611
- 13 Chagunda M.G.G., Bruns, E.W., King J.M. and Wollny C.B.A., 2004. Evaluation of the
14 breeding strategy for milk yield of Holstein Friesian cows on large scale dairy farms in
15 Malawi. Journal of Agricultural Science 142:595-601.
- 16 Friggens, N.C. and Newbold J.R. 2007. Towards a biological basis for predicting nutrient
17 partitioning: the dairy cow as an example. Animal 1: 87-97
- 18 Gibson J. P., Rege J.E.O and Chagunda M.G.G. 2014. Training and human capacity
19 development in Australasia, Asia and sub-Saharan Africa. Proceedings, 10th World
20 Congress of Genetics Applied to Livestock Production . [https://asas.org/docs/default-](https://asas.org/docs/default-source/wcgalp-proceedings-oral/224_paper_10371_manuscript_1345_0.pdf?sfvrsn=2)
21 [source/wcgalp-proceedings-oral/224_paper_10371_manuscript_1345_0.pdf?sfvrsn=2](https://asas.org/docs/default-source/wcgalp-proceedings-oral/224_paper_10371_manuscript_1345_0.pdf?sfvrsn=2)
- 22 Goyder, H. and Mang'anya, M., 2009. Livestock platform baseline survey report, (Research
23 into Use Malawi) Retrieved August 23, 2011
24 from <http://www.researchintouse.com/resources/riu09mwbaselinelivestock.pdf>

- 1 KPMG International 2013 The agricultural and food value chain: Entering a new era of
2 cooperation. KPGM.com
- 3 Ojango, J.M.K., Malmfors, B., Mwai, O. and Philipsson, J. 2011. Training the trainers - An
4 innovative and successful model for capacity building in animal genetic resource
5 utilization in sub-saharan Africa and Asia. Nairobi, Kenya: ILRI and SLU.
- 6 Rauw, W. M., Kanis, E., Noordhuizen-Stassen, E. N. And Grommers, F. J. (1998)
7 Undesirable side effects of selection for high production efficiency in farm animals: a
8 review. *Livestock Production Science*, 56: 15-33
- 9 Rege JEO (2005) Biotechnology options for improving livestock production in developing
10 countries, with special reference to sub-Saharan Africa. International Livestock
11 Research Institute(ILRI) Addis Ababa, Ethiopia. <http://www.ilri.org>
- 12 Rege, J.E.O., Marshall, K., Notenbaert, A., Ojango, J.M.K. and Mwai, A.O. 2011. Pro-poor
13 animal improvement and breeding—What can science do? *Livestock Science* 136: 15-
14 28.
- 15 Wollny, C.B.A., Chagunda, M.G.G, Molapong, K., Richter, W. and Mumba, P. 2002.
16 African–German co-operation in higher education supported by the German Technical
17 Co-operation Agency (GTZ): Experiences and lessons learned. In Schultze, A. (ed)
18 DIES 1 South-North-Dialogue on innovative strategies in international postgraduate
19 education: Challenges, obstacles and best Practices. Bonn, German: German Academic
20 Exchange Service (DAAD): 48-59.
- 21 Zaibet L., Traore S., Ayantunde A., MarshallK., Johnson N. & Siegmund-Schultze M. 2011.
22 Livelihood strategies in endemic livestock production systems in sub-humid zones of
23 West Africa: trends, trade-offs and implications. *Environmental Development and*
24 *Sustainability*, 13:87-105

- 1 Zonabend, E., Okeyo, A.M., Ojango, J.M.K., Hoffmann, I., Moyo, S., Philipsson, J., 2013,
- 2 Infrastructure for sustainable use of animal genetic resources in Southern and Eastern
- 3 Africa. *Animal Genetic Resources* 53: 79-93.
- 4

1 **Table 1.** Main themes covered in the e-conference'

Theme	Specific Questions
Leveraging available individual expertise and institutional capacities on the continent'.	<ol style="list-style-type: none"> 1. What animal breeding and genetic R4D institutions are available and functional in African countries? Are these fully utilized? 2. What are the major underlying causes of continuing human capacity constraints for animal genetics and breeding in Africa? 3. How can Africa best use the scarce human and institutional (including infrastructural) capacity it has in the area of animal genetics and breeding?
Available expertise and how this can be used to best serve sub-Saharan Africa;	<ol style="list-style-type: none"> 1. Do we have an estimate of the number of animal genetics and breeding experts available on the continent? If so, is this information available in public domain – e.g. in databases – at country, sub-regional or continental level (please provide the web addresses or e-mail contacts where available)? 2. What options/models are available (give specific examples), or could be explored, for longer term collaboration between African institutions and other parts of the world?
How to leverage collaborative opportunities outside the continent, including tapping into the substantial African Diaspora.	What options/models are available (give specific examples), or could be explored, for effectively engaging the Diaspora?
Generating technologies that can be applied at scale in multiple countries (i.e. <i>international</i> public goods) to address high priority constraints;	<ol style="list-style-type: none"> 1. What are the highest priority technology-related constraints to animal genetics and breeding in SSA and what technological solutions currently or potentially (in the near-term) available with the global research community can be applied/adapted to address these constraints? 2. How best can existing or emerging technological solutions be ‘adapted’ and scaled out for wider application (in multiple countries) in SSA?
Increasing efficiency and return to R4D investments. Following are the specific questions:	How can animal genetics and breeding R&D efficiency be increased to get better returns to investment targeting SSA?

2
3

1
2
3

Table 2. The landscape of human capacity in animal breeding and genetics in the different countries

Country	University	Type of Institution		Total*
		Research and Development	Other	
Benin		1		1
Botswana	2	2		4
Burkina Faso	2	2		4
Burundi		1	1	2
Cameroon	2	4		6
Chad		1		1
Cote d'Ivoire	1	4		5
DR Congo	1	1		2
Egypt				0
Ethiopia	7	13	2	22
Gambia		1		1
Ghana	5	1		6
Kenya	4	11		15
Madagascar		2		2
Malawi	2	2		4
Mali	1	1		2
Mauritius		1		1
Mozambique		3		3
Namibia	1	1		2
Nigeria	25	2		27
Rwanda		3		3
Seira Leon	2			2
Senegal		2		2
Somalia	1			1
South Africa	12	11		23
Sudan		3		3
Swaziland	1	1		2
Tanzania	1	9		10
Uganda	1	3		4
Zambia		1		1
Zimbabwe	3	3		6
Total	74	90	3	167

4 *Data were based on what the e-conference participants could recall and not on a head-count. Although the absolute numbers may
5 not be accurate, they are precise enough to present the overall picture.