

Scotland's Rural College

SRUC Scottish Recommended Lists for Cereals 2017

Hoad, SP

Print publication: 01/12/2016

Document Version

Publisher's PDF, also known as Version of record

[Link to publication](#)

Citation for published version (APA):

Hoad, SP. (2016). *SRUC Scottish Recommended Lists for Cereals 2017*. (Scottish Recommended Lists for Cereals 2017). SRUC.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.



Scottish Recommended Lists for Cereals 2017

Tables

Data from AHDB Recommended List Trials



Scottish Recommended Lists for Cereals 2017

Spring barley Yield of 100 = 7.2 t/ha

Year First Listed	Recommendation		Grain yield as % of treated Control	Yield loss (%) if untreated	Malting use: Brewing, Distilling or Grain Distilling	IBD† Malting Approval (See footnotes)	Feed use‡ (See footnote)	Screenings <2.5 mm (%)	Specific weight (kg/hl)	Maturity days +/- Concerto	Straw Strength 1 to 9; weak to stiff	Straw length (cm) no PGR	Brackling risk; 1 to 9 high to low	Disease resistance 1 susceptible to 9 resistant		
														Mildew	Rhynchosporium	Ramularia
2017	P1	Dioptric	106	14	GD	T		7.6	68.2	0	7	72	8	[9]	6	8
2016	P2	Laureate	105	13	B & D	P		3.7	66.1	0	7	73	8	[8]	6	7
2017	P1	LG Opera	105	16	B & D	T		6.9	66.2	-1	6	72	8	[9]	5	6
2016	P2	KWS Sassy	105	14	D	P		2.7	67.8	0	6	80	6	[9]	5	6
2015	P3	Olympus	103	16	D & GD	P		5.7	66.4	0	7	75	6	9	6	7
2015	P3	Sienna	102	13	B & D	P		4.1	70.4	0	7	79	7	9	6	8
2015	P3	Octavia	101	15	B & D	F		4.1	66.2	0	6	77	6	9	6	7
2012	R	Odyssey	98	16	B & D	F		4.1	68.0	0	6	75	8	9	5	6
2016	P2	Fairing	96	13	GD	P		2.6	68.2	-2	7	74	7	[8]	8	7
2009	R	Concerto	93	14	B & D	F		3.2	68.8	0	6	79	8	8	4	6
2008	O	Belgravia	91	14	D & GD	F		5.1	68.2	0	7	80	7	[8]	5	6
2015	R	RGT Planet	105	14	B	F		4.2	67.6	-1	7	75	8	9	6	8
2014	R	KWS Irina	105	16	B	F		4.8	65.8	-1	8	71	9	9	5	7
2010	R	Propino	101	16	B	F		2.4	68.0	-1	7	77	8	6	6	6
2015	R	Scholar	105	15	None	N		6.4	68.2	0	7	69	9	9	6	8
2005	O	Waggon	98	15	None	N		This variety is no longer on the AHDB Recommended List								

Colour code

Good

Towards good

Intermediate

Towards poor

Poor

R = Recommended for general use	F = IBD Full Approval	[] = AHDB limited data
P1, P2 and P3 = Provisional Year 1, 2 and 3	P = IBD Provisional Approval	‡ High yielding malting varieties can also be considered for feed use
O = Becoming outclassed	T = Under test as a malting variety	
† = Institute of Brewing and Distilling	N = not approved by IBD	

Data from AHDB Recommended List trials. The full data sets collected are available on the AHDB Cereals & Oilseeds website <http://cereals.ahdb.org.uk/varieties>

Scottish Recommended Lists for Cereals 2017

Winter barley Yield of 100 = 8.9 t/ha

Year First Listed	Recommendation		Grain Yield as % of treated control	Yield loss (%) if untreated	Yield % control		IBD† Malting Approval (see footnote)	Screenings <2.5 mm (%)	Specific Weight (kg/hl)	Maturity days +/- Cassata	Straw Strength 1 to 9; weak to stiff	Straw length (cm) with PGR	Disease resistance 1 susceptible to 9 resistant			
					Light soil	Heavy soil							Mildew	Rhynchosporium	Net Blotch	Ramularia
2016	P2	Craft	98	19	99	97	P	4.9	69.0	0	8	90	6	6	7	5
2007	S	Cassata	92	18	92	93	No	This variety is no longer on the AHDB Recommended List								
1999	S	Pearl	91	18	91	90	No	This variety is no longer on the AHDB Recommended List								
2017	P1	KWS Creswell	106	27	104	100	No	8.7	67.1	-1	7	88	5	6	4	5
2016	P2	KWS Orwell	104	21	105	103	No	6.1	67.3	0	8	87	3	6	6	5
2015	R	KWS Infinity	104	23	103	102	No	8.3	67.5	0	7	90	4	6	5	4
2014	R	KWS Tower	103	23	103	101	No	5.6	67.0	0	7	91	5	5	4	5
2013	O	KWS Glacier	103	22	102	102	No	8.0	68.8	-1	7	84	3	4	7	4
2010	O	KWS Cassia	101	17	99	99	No	5.4	70.5	0	8	91	4	4	6	5
2017	P1	Funky	107	16	108	105	No	20.3	68.3	-1	8	94	6	7	6	6
2012	O	KWS Meridian	104	12	103	103	No	This variety is no longer on the AHDB Recommended List								
2017	P1	Sunningdale	113	18	111	106	No	11.0	67.2	-1	7	107	5	7	6	4
2016	P2	Bazooka	109	19	110	109	No	9.4	68.2	0	8	111	4	7	6	5
2016	P2	Belfry	107	17	107	108	No	10.3	67.2	-1	8	103	5	7	7	5
2009	O	Volume	107	22	106	107	No	15.3	67.5	-1	7	104	5	7	6	6

Colour code

Good

Towards good

Intermediate

Towards poor

Poor

R = Recommended for general use	† Institute of Brewing and Distilling	--- = Insufficient information
P1 and P2 = Provisional Year 1 and 2	F = IBD Full Approval	[] = AHDB limited data
S = Specific use variety	BaYMV: With the exception of Pearl, varieties listed have resistance to barley mild mosaic virus (BaMMV) and barley yellow mosaic virus (BaYMV) strain 1.	
O = Becoming outclassed		

Data from AHDB Recommended List trials. The full data sets collected are available on the AHDB Cereals & Oilseeds website <http://cereals.ahdb.org.uk/varieties>

Scottish Recommended Lists for Cereals 2017

Winter wheat Yield of 100 = 9.9 t/ha

Year First Listed	Recommendation		Grain yield as % of treated Control	Yield loss (%) if untreated	Use as a 2 nd cereal	Quality markets			Specific weight (kg/hl)	HFN	Maturity days +/- JB Diego	Straw strength 1-9; weak to stiff	Straw length (cm) no PGR	Sprouting resistance	Disease resistance 1 susceptible to 9 resistant				
						Distilling	UK Milling	Export ‡							Mildew	Yellow rust	Septoria tritici	Eye-spot	Fusarium
2017	P1	Savello	[106]	22	Good	Med	---	---	74.3	216	0	6	88	---	7	8	5.3	[4]	6
2013	R	Leeds	104	31	Mod	Med	---	uks Y	77.7	206	+2	7	86	6	3	6	4.6	4	7
2017	P1	LG Motown	[104]	14	Mod	Med	---	---	75.3	217	-1	6	84	---	8	9	5.8	[3]	6
2009	R	Viscount	103	29	Mod	Good	---	uks [Y]	76.0	192	0	7	81	5	[7]	6	4.6	5	6
2013	R	Myriad	103	29	Mod	Med	---	uks [Y]	76.4	238	+1	6	89	[6]	6	4	5.5	5	6
2017	P1	LG Sundance	[102]	14	Good	Med	---	---	74.5	179	+1	7	87	---	6	9	7.3	[3]	6
2012	O	Horatio	101	18	Poor	Med	---	This variety is no longer on the AHDB Recommended List											
2013	S	Revelation	100	17	Poor	Good	---	uks [Y]	75.9	246	+3	7	86	5	6	9	6.4	8	7
2016	P2	KWS Barrel	109	29	Good	Poor	Biscuit	uks Y	76.4	212	+1	8	83	[6]	6	8	4.4	4	6
2014	R	Zulu	102	23	Mod	Med	Biscuit	uks Y	75.6	233	+1	6	89	6	7	5	5.7	4	6
2015	R	KWS Lili	104	27	Poor	Poor	Bread	ukp Y	76.5	297	+2	7	81	[7]	8	7	5.9	5	6
2016	P2	KWS Siskin	101	15	Mod	Poor	Bread	ukp Y	76.8	304	0	6	84	[5]	9	9	6.8	4	6
2009	S	Grafton	[100]	25	Mod	Poor	---	---	77.8	305	-1	8	77	5	[6]	6	5.3	6	5

Colour code

Good

Towards good

Intermediate

Towards poor

Poor

R = Recommended for general use	‡ = Export potential	Y = suited to that market	Mod = moderate; Med = medium
P1 and P2 = Provisional Year 1 and 2	uks = soft wheat for export	[Y] = may be suited to that market	--- = Not applicable
S = Specific use variety	ukp = bread wheat for export	[] = AHDB limited data	
O = Becoming outclassed	HFN = Hagberg falling number		

Data from AHDB Recommended List trials. The full data sets collected are available on the AHDB Cereals & Oilseeds website <http://cereals.ahdb.org.uk/varieties>

Scottish Recommended Lists for Cereals 2017

Spring oats (Yield of 100 = 8.4 t/ha)

Year first listed	Recommendation		UK Grain yield as % of treated control	Yield loss (%) if untreated	Kernel Content (%)	Screenings <2.0mm (%)	Specific weight (kg/hl)	Maturity days +/- Firth	Straw strength 1-9; weak to stiff	Straw length (cm) no PGR	Crown Rust (1 to 9)	Mildew (1 to 9)
2015	R	Aspen	104	16	77.2	1.8	54.6	-1	7	110	4	6
2017	P1	Yukon	102	8	76.1	2.5	54.1	-1	8	119	[5]	8
2015	R	Montrose	100	16	76.5	1.3	55.5	-1	7	115	3	4
2017	P1	WPB Elyann	100	13	80.7	2.0	54.2	-1	7	112	[5]	7
2011	R	Canyon	99	9	75.8	1.7	55.1	0	7	122	4	8
2000	R	Firth	97	13	78.3	2.8	53.6	0	7	113	4	7
2014	R	Conway	95	11	78.1	2.5	54.2	0	8	116	4	7

Winter oats (Yield of 100 = 8.5 t/ha)

Year first listed	Recommendation		UK Grain yield as % of treated control	Yield loss (%) if untreated	Kernel Content (%)	Screenings <2.0mm (%)	Specific weight (kg/hl)	Maturity days +/- Mascani	Straw strength 1-9; weak to stiff	Straw length (cm)	Crown Rust (1 to 9)	Mildew (1 to 9)
2016	P2	RGT Lineout	101	---	75.9	5.0	52.7	-2	6	112	6	4
1993	R	Gerald	98	---	73.8	3.2	53.6	+2	5	116	5	3
2003	R	Dalguise	100	---	75.8	3.4	54.4	-1	4	120	4	3

Spring wheat (Yield of 100 = 7.8 t/ha)

Year first listed	Recommendation		UK Grain yield as % of treated control	Yield loss (%) if untreated	nabim Group	Hagberg falling number	Specific weight (kg/hl)	Maturity days +/- Mulika	Straw strength 1-9; weak to stiff	Straw length (cm)	Septoria tritici (1 to 9)	Mildew (1 to 9)
2003	R	Tybalt	101	23	2	310	76.1	0	---	81	6	8
2011	R	Mulika	96	20	1	316	77.4	0	---	85	6	[7]

Colour code

Good

Towards good

Intermediate

Towards poor

Poor

R = Recommended for general use

[] = AHDB limited data

P1, P2 and P3 = Provisional Year 1, 2 and 3

--- = Insufficient information

Data from AHDB Recommended List trials. The full data sets collected are available on the AHDB Cereals & Oilseeds website <http://cereals.ahdb.org.uk/varieties>